DEC. 7. 2005 3:55PM

TO: USPTO

7635146982 MEDTRONIC

CENTRAL FAX CENTER

NO. 8759 P. 1

DEC 0 7 2005

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

AMENDMENT TRANSMITTAL

In re Application of: HILL et al.

For: CLOSED LOOP NEUROMODULATION FOR PREVENTION

AND TREATMENT OF CARDIAC CONDITIONS

Serial No.: 10/039,307 Filed: 10/26/2001 Docket No.: P8969.00

CERTIFICATE UNDER 37 CFR §1.8 hereby certify that the paper(s)

(_15, (otal) as described herein are being sent to tetafacsimile No. (571) 273-8300,

MAIL STOP AMENDMENT, Commissioner for Patents, P.O. Box 1450,

Alexandria, VA 22313-1450, on Decampler 7, 2005.

MINING MI

Pignatura

MOLLY MCCLELLAN
Printed Name

MAIL STOP AMENDMENT Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

We are transmitting herewith the attached:

X AMENDMENT

 \boxtimes

Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time. The Commissioner is authorized to charge any deficiencies to Deposit Account No. 13-2546.

Data

Paul H. McDowall, Reg. No. 34,873 Telephone: (763) 514-3351

Customer No. 27581

RECEIVED CENTRAL FAX CENTER

DEC. 7. 2005 3:56PM

7635146982 MEDTRONIC

DEC 0 7 2005 NO. 8759 P. 2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Michael R.S. Hill et al.

Examiner:

F. Oropeza

Serial No.:

10/039,307

Group Art Unit: 3762

Filed:

October 26, 2001

Docket

P8969.00

Title:

CLOSED LOOP NEUROMODULATION FOR PREVENTION AND

TREATMENT OF CARDIAC CONDITIONS

<u>AMENDMENT</u>

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

The following is in response to the non-final Office Action mailed 7
September 2005, having a three-month statutory period for reply set to expire on 7 December 2005. The present Amendment is submitted in advance of the expiration of said period for reply.

Please amend the above-identified application as follows.